

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> 166/186.ccls. and l6 </div>
Display:	<div style="border: 1px solid black; padding: 2px;">20</div> Documents in Display Format: <div style="border: 1px solid black; padding: 2px;">CIT</div> Starting with Number <div style="border: 1px solid black; padding: 2px;">1</div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Tuesday, November 22, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L9</u>	166/186.ccls. and l6	1	<u>L9</u>
<u>L8</u>	ratchet and L7	11	<u>L8</u>
<u>L7</u>	shear pin and L6	26	<u>L7</u>
<u>L6</u>	l4 and L5	178	<u>L6</u>
<u>L5</u>	cam or wedge	296387	<u>L5</u>
<u>L4</u>	stop ring and L3	562	<u>L4</u>
<u>L3</u>	l1 and L2	70946	<u>L3</u>
<u>L2</u>	concentric or (inner tub\$4 and outer tub\$4)	176366	<u>L2</u>
<u>L1</u>	seal\$3 or packer	746033	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database
	US Patents Full-Text Database
	US OCR Full-Text Database
	EPO Abstracts Database
	JPO Abstracts Database
	Derwent World Patents Index
	IBM Technical Disclosure Bulletins

Term:	<input type="text"/>
--------------	----------------------

Display:	<input type="text" value="20"/> Documents in Display Format: <input type="text" value="CIT"/> Starting with Number <input type="text" value="1"/>
-----------------	--

Generate:	<input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image
------------------	--

<input type="button" value="Search"/>	<input type="button" value="Clear"/>	<input type="button" value="Interrupt"/>
---------------------------------------	--------------------------------------	--

Search History

DATE: Tuesday, November 22, 2005 [Printable Copy](#) [Create Case](#)

Set Name Query

side by side

DB=USPT; PLUR=YES; OP=ADJ

Hit Count Set Name

result set

<u>L10</u>	stop ring and lock ring and L9	10	<u>L10</u>
<u>L9</u>	l7 and L8	285	<u>L9</u>
<u>L8</u>	166/191.ccls. or 166/186.ccls. or 166/208.ccls. or 166/120.ccls.	1238	<u>L8</u>
<u>L7</u>	l5 and L6	35669	<u>L7</u>
<u>L6</u>	inner and outer and tub\$4	318397	<u>L6</u>
<u>L5</u>	l2 and l3 and L4	86000	<u>L5</u>
<u>L4</u>	mechanical or hydraulic or fluid pressure	838959	<u>L4</u>
<u>L3</u>	annular or annulus	431232	<u>L3</u>
<u>L2</u>	seal\$3 or packer	746033	<u>L2</u>
<u>L1</u>	5333692.pn.	1	<u>L1</u>

END OF SEARCH HISTORY

Refine Search

Search Results -

Terms	Documents
stop ring and L5	26

Database:

US Pre-Grant Publication Full-Text Database
 US Patents Full-Text Database
 US OCR Full-Text Database
 EPO Abstracts Database
 JPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L6

Refine Search

Recall Text

Clear

Interrupt

Search History

 DATE: Tuesday, November 22, 2005 [Printable Copy](#) [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L6</u>	stop ring and L5	26	<u>L6</u>
<u>L5</u>	166/\$.ccls. and l2	245	<u>L5</u>
<u>L4</u>	166/186.ccls. and l2	0	<u>L4</u>
<u>L3</u>	arm and ratchet and L2	27	<u>L3</u>
<u>L2</u>	annular seal and wedge	1280	<u>L2</u>
<u>L1</u>	spring load near seal	24	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	stop ring and lock ring and L9
Display:	<input type="text" value="20"/> Documents in Display Format: <input type="text" value="CIT"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Tuesday, November 22, 2005
[Printable Copy](#)
[Create Case](#)

Set Name Query

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=ADJ

<u>L10</u>	stop ring and lock ring and L9	10	<u>L10</u>
<u>L9</u>	17 and L8	285	<u>L9</u>
<u>L8</u>	166/191.ccls. or 166/186.ccls. or 166/208.ccls. or 166/120.ccls.	1238	<u>L8</u>
<u>L7</u>	15 and L6	35669	<u>L7</u>
<u>L6</u>	inner and outer and tub\$4	318397	<u>L6</u>
<u>L5</u>	12 and 13 and L4	86000	<u>L5</u>
<u>L4</u>	mechanical or hydraulic or fluid pressure	838959	<u>L4</u>
<u>L3</u>	annular or annulus	431232	<u>L3</u>
<u>L2</u>	seal\$3 or packer	746033	<u>L2</u>
<u>L1</u>	5333692.pn.	1	<u>L1</u>

END OF SEARCH HISTORY